


AirDesk Div. MTI Research Corp.  
18 Cottage Lane  
Trenton, ME 04605  
USA



Tel: (866) N01-DESK  
<http://www.AirDesks.com>  
Email us from the Web Site.

## **STOP! Use This Manual**

# **AirDesk's Ultra-Adjustable™ Tablet Holder Accessory Assembly Instructions**




*Dear Customer,*

Thank you for purchasing your AirDesk. I hope you will enjoy using your AirDesk as much as I enjoy using my AirDesks. I have two at home and one at work. I would like to hear from you. Please feel free to contact me with your feedback or if you have any questions. If you are happy with your AirDesk, tell your friends, if you are unhappy, tell me. Thank You and Enjoy !

*Sincerely, Edward MacLeod, President*

# TABLET HOLDER PARTS



**NOTE: A TABLET ARM IS MOSTLY ROUND**

# ASSEMBLY INSTRUCTIONS


## 1) Attach the Tray to the Arm.

Using the larger "L" wrench and the flat head screw, fit the screw into the tapered hole in the middle of the tray. **GENTLY** tighten the flat head screw into the Hub on the end of the arm. Once the screw hits bottom, stop tightening. It should only be snug.




## 2) Lock the Flat Head Screw From Turning

So the Flat Head Screw never turns in use, tighten the setscrew in the picture with the smaller "L" wrench. Tighten it all the way. When it stops turning, turn it 1/8 turn more.



### 3) Attach The 6 Finger Screws

With the smaller "L" wrench, screw the the six screws about half way into the tray.



### 4) Install The 3 Fingers

Slide in the three Fingers and gently tightent the 6 screws.



## 5) Adjust The 3 Fingers

Slide in the three Fingers around your Tablet or Reader. **Make sure the Fingers Do Not grip any buttons or weak points.**

Tip: On smaller units you may want to position the Fingers across the long side.

After adjusting the lengths of the Fingers, tighten the 6 screws. Check the fit of your device again. You may bend the Fingers as needed for a good grip while still being able to pop out your device with a flip of the thumb.

When all is perfect, go back and retighten the 6 screws.



## 6) Assemble the Tablet Arm on the AirDesk Mast.

Slide the ring and thumbscrew over the mast and tighten it at the desired arm height.

Screw the two hand knobs into the Cross fitting and slide it over the mast and then slide the arm in as oriented.

The arm should tilt up slightly. Tighten the hand knobs as needed.

**DO NOT OVER-TIGHTEN THE HAND KNOBS**, they are for adjustment only.

Twist your tablet or reader any way you want to be comfortable, adjust the knobs as needed.



ENJOY !

Any difficulties at all, Please contact us, we are here to help.  
[customerservice@airdesks.com](mailto:customerservice@airdesks.com) best or (207) 266-9854. Please provide  
your order number when contacting us.